

Mechanical Wall Switch



AVA-200



AVA-202



AVA-200+

Features

- AVA-200, Spring-Loaded Mechanical Switch
- AVA-200+, Touch-Contact Switch
- AVA-202, Mechanical Switch, Press button once & will stay contact
- C/w surface box


AVA-200 & AVA-202 Specifications

Shipment Dimension(cm)	: 8.5(W) x 8.5(H) x 6.5(D)
Shipment Weight	: 150gm (AVA-200 / AVA-202)
Used for	: MPC, PLT or others (AVA-200) XXL or others (AVA-200+)

Radio Frequency Remote



AVA-315-RF 1ch



AVA-316-RF 15ch

Features

- AVA-315, 1-channel Radio Frequency Remote
- AVA-316, 15-channel Radio Frequency Remote
- Work with Remaco's RF Motor

AVA-315 RF & AVA-316 RF Specifications

Shipment Dimension(cm)	: 5.0(W) x 13.0(H) x 2.0(D)
Shipment Weight	: 70gm
Used for	: PRO, ECO, PRO-L Motorized Screens.



AVA-341-RF 1ch Wall



AVA-361-RF S/Box

AVA-341 & AVA-361 Specifications

Shipment Dimension(cm)	: 9.0(W) x 9.0(H) x 3.5(D) (AVA-341) 4.0(W) x 13.0(H) x 3.0(D) (AVA-361)
Shipment Weight	: 120gm (AVA-341) 100gm (AVA-361)
Used for	: BKT-M595 or 24V DC Motor

Motor/Power Control




MPC-851

MPC-851 Features

- MPC-851, Motor/Power Control c/w 4nos x 20 Amperes
- Relay to control 2 pair of Motors or to control 4 sets of power on/off
- Software provided for time duration operation.

MPC-851 Specifications

Shipment Dimension(cm)	: 37.0(W) x 13.5(H) x 6.5(D)
Shipment Weight	: 300gm
Used for	: XXL, MXL Motorized Screens PLT (projector Lifts)



MPC-852

MPC-852 Features

- MPC-852 is a Motor/Power controller that can control motorized screen, projector lift, motorized curtain or any AC motor powered equipment.
- It comes with 2 pairs of relays to control any 2 equipments through wall switch (AVA-200+) or third party control system (AMX/Creston). RF remote control (AVA-316) and IP
- Various control possible

MPC-852 Specifications

Shipment Dimension(cm)	: 15.0(W) x 14.0(H) x 4(D)
Shipment Weight	: 400gm
Used for	: XXL, MXL Motorized Screens PLT (projector Lifts)

Security & Safety Lock



AVA-290

Features

- AVA-290 Security & Safety Lock c/w lock and cable post kit, 2metres length
- AVA-Bungee Elastic Cord with Hook, Cord Diameter: 4mm, Total Length: 29cm, Cord Length: 25cm

Bungee Elastic Cord



AVA-Bungee

Cables

Features



AVA-4-Core Cable

- AVA-4-core AC cable
Colour code: red, brown, black and blue
1 drum: 100metres length
- AVA-250, VGA cable with D-sub 15pin Male to 15pin Male Connector + Core
Colour: Black
2.5m, 5.0m, 10.0m, 15.0m, 20.0m, 30.0m
- AVA-255, VGA+Video+RS232 cable to 3nos XH2.5 connectors (8pin, 3pins & 2pins terminal)
Length: 20metres, Colour: Black
- AVA-258, Audio cable(Stereo RCA) to XH2.5 connector(3pins)
Length: 12metres
Colour: Black



AVA-250



AVA-255



AVA-258

AV Receptacle



Front



Back

AVA-220A



Front



Back

AVA-220B

Features

- AVA-220A, 1 VGA + 1 Audio, RCA Video + 2 RCA Audio (rear connection for VGA is 15 pin D-sub female connector and K.O. Box not included)
- 15pin VGA Female to Female
- 3.5mm PC Audio
- RCA Video
- RCA Stereo Audio

- AVA-220B, 1 VGA + 1 Audio, RCA Video + 2 RCA Audio (rear connection for VGA is PCB connector and K.O. Box not included)
- 15pin VGA Female to Connector (Screw Type)
- 3.5mm PC Audio
- RCA Video
- RCA Stereo Audio

Features

- AVA-221A, 1 VGA + 1 Audio (rear connection for VGA is 15 pin D-sub female connector and K.O. Box not included)
- 15pin VGA Female to Female
- 3.5mm PC Audio
- AVA-221B, 1 VGA + 1 Audio (rear connection for VGA is PCB connector and K.O. Box not included)
- 15pin VGA Female to Connector (Screw Type)
- 3.5mm PC Audio
- AVA-222, RCA Video, RCA Stereo Audio
- AVA-225, AV Receptacle Elegant, Single HDMI Socket
- AVA-226, AV Receptacle Elegant, Double HDMI Socket
- AVA-230, Surface Box



Front



Back

AVA-221A



Front



Back

AVA-221B



AVA-222



AVA-225



AVA-226



AVA-230

Brackets



AVA-Wall Ext
(Type 1)

AVA-Wall Ext (Type 1) Specification


Depth to Wall (Length) : 12.5cm
 Colour : White
 Application : PRO , ECO , SAS , MAS

AVA-Wall Ext (Type 2) Specification

Depth to Wall (Length) : 25.0cm
 Colour : White
 Application : PRO , ECO , SAS , MAS



AVA-Wall Ext
(Type 2)




AVA-Wall Ext
(Type 3)

AVA-Wall Ext (Type 3) Specification

Depth to Wall (Length) : 65.0cm
 Colour : Black
 Application : PRO , ECO , SAS , MAS ,
 PRO-L , TEN , CMS

AVA-Wall Ext (Type 4) Specification

Depth to Wall (Length) : 42.5 to 61.5cm (Adjustable)
 65.0 to 74.0cm (Swivel)
 Colour : Black
 Application : PRO , ECO , SAS , MAS ,
 PRO-L , TEN , CMS , Speakers



AVA-Wall Ext
(Type 4)



AVA-Wall Ext
(Type 5)

AVA-Wall Ext (Type 5) Specification

Depth to Wall (Length) : 50.0cm
 Colour : Black
 Application : PRO-L , XXL