


# Installation Guide (BKT-M612)

BKT-M612

**Important Notes:**

All LCD TV brackets/Mounts are thoroughly inspected and fully tested operational in factory.  
 We accept no liability whatsoever for any losses due to improper operation, or any unauthorized alternation.  
 All trademarks contained in this installation guide are the property of their respective owners.



**STEP 1**

A) Drill Dia 10mm Holes to a depth 48mm.  
(Note: Do not drill too deep)


---

**STEP 2**


B) Insert Concrete anchor into the hole.

**Mounting Screw For mounting BKT-M612 Wall:**

M8x58mm Wall Plug ( 4 nos)



**BKT-M612 Motorized TV Lifter ( Kept Height)**



**BKT-M612 Motorized TV Lifter ( Extended Height)**

# Installation Guide (BKT-M612)

BKT-M612

## Model : BKT-M612

Screen Size : 55" to 93" Panel/TV Size

Load Capacity : 160 kg

Maximun Travel Distance :645mm

Colour : Black



Max Vesa Mounting:600X800

Min Vesa Mounting: 200X200

Mode: Landscape and Protrait

Support Structure Size 630X830X60(T)


Min TV Size to Cover Support Structure Size: 650X850




# Installation Guide (BKT-M612)

BKT-M612

## Pairing AVA-315



## AVA-200+



### Application:

Remaco AVA-200+ designed with similar look of ESC to provide contact closure (Up/Stop/Down) for MPC-851, ESC-I and ESC-ip as options below

Description	AVA-200+
Input Voltage	0 volt (no voltage required)
Contact / Switching	Momentary Contact Closure
Control / Operation	Press Up or Stop or Down
Legend	U=Up, D=Down, S=Stop, C=Common

⚠ If connected to any voltage above 3V will damage the product

End