

TEN(XXL) Series



Tender / Bid specifications :

Specifications for Motorized Projection Screen:

Image Size	:	4060mm x 3050mm to 6100mm x 4570mm
Motor Type	:	AC Tubular Motor; Silent Type
Motor Speed	:	9 rpm
Operating	:	120 deg. Celsius (thermostat cut off motor)
Fabric Roll Speed	:	4.2 m/min
Screen Gain	:	1.1
Viewing Angle	:	160 degrees viewing cone
Screen Materials	:	Matte White, Vinyl fabric, Flame Retardant and fungus resistant
External Wired Control	:	Normally open, momentary contact closure (voltage free)
Casing Colour	:	Black
Power Consumption	:	350W
Current	:	1.5 Amperes
Voltage	:	220 - 240 VAC, 50/60 Hz

Dimension of TEN(XXL) Series Screen

Casing Sectional View




	<u>Model</u>	<u>Diagonal</u>	<u>Image Width</u>	<u>Image Height</u>	<u>Casing Length</u>
Video Format (4:3)	TEN(XXL)-4030V	200"	4060mm	3050mm	4720mm
	TEN(XXL)-4534C/J	220"	4500mm	3400mm	5160mm
	TEN(XXL)-4937C/J	240"	4880mm	3660mm	5540mm
	TEN(XXL)-5541C/J	270"	5490mm	4110mm	6150mm
	TEN(XXL)-6045C/J	295"	6000mm	4500mm	6660mm
	TEN(XXL)-6146C/J	300"	6100mm	4570mm	6760mm
HDTV Format (16:9)	TEN(XXL)-3922H	180"	3980mm	2240mm	4640mm
	TEN(XXL)-4425H	200"	4430mm	2490mm	5090mm
	TEN(XXL)-4927H	220"	4880mm	2740mm	5540mm
	TEN(XXL)-5028C/J	225"	5000mm	2810mm	5660mm
	TEN(XXL)-5531C/J	250"	5530mm	3110mm	6190mm
	TEN(XXL)-6034C/J	271"	6000mm	3380mm	6660mm
Wide Screen Format (16:10)	TEN(XXL)-3924W	182"	3920mm	2450mm	4580mm
	TEN(XXL)-4326W	200"	4300mm	2690mm	4960mm

Pelmet Mounting: Recommended Pelmet Size

TEN(XXL) Series - Video Format


Recommended Pelmet Width = Screen Casing Width + 100mm



Pelmet Mounting: Recommended Pelmet Size

TEN(XXL) Series - HDTV Format

Recommended Pelmet Width = Screen Casing Width + 100mm



Pelmet Mounting: Recommended Pelmet Size

TEN(XXL) Series - Wide Screen Format

Recommended Pelmet Width = Screen Casing Width + 100mm

