

**Mechanical Wall Switch**



AVA-200



AVA-202



AVA-200+

**Features**

- AVA-200, Spring-Loaded Mechanical Switch
- AVA-200+, Touch-Contact Switch
- AVA-202, Mechanical Switch, Press button once & will stay contact
- C/w surface box

**AVA-200 & AVA-202 Specifications**

- Shipment Dimension(cm) : 8.5(W) x 8.5(H) x 6.5(D)
- Shipment Weight : 150gm (AVA-200 / AVA-202)
- Used for : MPC, PLT or others (AVA-200)  
XXL or others (AVA-200+)

**Radio Frequency Remote**



AVA-315-RF 1ch



AVA-316-RF 15ch

**Features**

- AVA-315, 1-channel Radio Frequency Remote
- AVA-316, 15-channel Radio Frequency Remote
- Work with Remaco's RF Motor

**AVA-315 RF & AVA-316 RF Specifications**

- Shipment Dimension(cm) : 5.0(W) x 13.0(H) x 2.0(D)
- Shipment Weight : 70gm
- Used for : PRO, ECO, PRO-L  
Motorized Screens.



AVA-341-RF 1ch Wall



AVA-361-RF S/Box

**AVA-341 & AVA-361 Specifications**

Shipment Dimension(cm) : 9.0(W) x 9.0(H) x 3.5(D) (AVA-341)  
 4.0(W) x 13.0(H) x 3.0(D) (AVA-361)  
 Shipment Weight : 120gm (AVA-341)  
 100gm (AVA-361)  
 Used for : BKT-M595 or 24V DC Motor

**IR Extender**



IRE-120



IRE-122

**Features**

- IRE-120, IR Extender c/w Infrared Signal Transmitter and Infrared Signal Receiver, two AC adaptor, IR Probe Cable, and User Manual
- IRE-122, IR Extender c/w IR Repeater, AC adaptor, 4 x IR Probe Cable with dual emitter and User Manual

**IRE-120 & IRE-122 Specifications**

Shipment Dimension(cm) : 31.0(W) x 15.0(H) x 11.0(D) (IRE-120)  
 15.5(W) x 14.5(H) x 8.5(D) (IRE-122)  
 Shipment Weight : 800gm (IRE-120)  
 400gm (IRE-122)

**Media Interface Controller**

**Features**

- MIC-801, Media Interface Controller c/w AC adaptor, 3 x VGA input, 1 x monitor out, Mic input, Video input / Stereo input, digital volume control
- MIC-807, Media Interface Controller c/w AC adaptor, digital switching of 2 x VGA input, 1 x video and Wireless and screen control through contact closure

**MIC-801 & MIC-807 Specifications**

Shipment Dimension(cm) : 27.0(W) x 11.0(H) x 6.5(D) (MIC-801)  
 18.5(W) x 10.5(H) x 6.0(D) (MIC-807)  
 Shipment Weight : 500gm (MIC-801)  
 250gm (MIC-807)



MIC-801



MIC-807

**Motor/Power Control**



MPC-851

**MPC-851 Features**

- MPC-851, Motor/Power Control c/w 4nos x 20 Amperes
- Relay to control 2 pair of Motors or to control 4 sets of power on/off
- Software provided for time duration operation.

**MPC-851 Specifications**

- Shipment Dimension(cm) : 37.0(W) x 13.5(H) x 6.5(D)
- Shipment Weight : 300gm
- Used for : XXL, MXL Motorized Screens  
PLT (projector Lifts)



MPC-852

**MPC-852 Features**

- MPC-852 is a Motor/Power controller that can control motorized screen, projector lift, motorized curtain or any AC motor powered equipment.
- It comes with 2 pairs of relays to control any 2 equipments through wall switch (AVA-200+) or third party control system (AMX/Creston). RF remote control (AVA-316) and IP
- Various control possible

**MPC-852 Specifications**

- Shipment Dimension(cm) : 15.0(W) x 14.0(H) x 4(D)
- Shipment Weight : 400gm
- Used for : XXL, MXL Motorized Screens  
PLT (projector Lifts)

**Security & Safety Lock**



AVA-290

**Features**

- AVA-290 Security & Safety Lock c/w lock and cable post kit, 2metres length
- AVA-Bungee Elastic Cord with Hook, Cord Diameter: 4mm, Total Length: 29cm, Cord Length: 25cm

**Bungee Elastic Cord**



AVA-Bungee

**Cables**



AVA-4-Core Cable

**Features**

- AVA-4-core AC cable  
Colour code: red, brown, black and blue  
1 drum: 100metres length
- AVA-250, VGA cable with D-sub 15pin Male to 15pin Male Connector + Core  
Colour: Black  
2.5m, 5.0m, 10.0m, 15.0m, 20.0m, 30.0m
- AVA-255, VGA+Video+RS232 cable to 3nos XH2.5 connectors (8pin, 3pins & 2pins terminal)  
Length: 20metres, Colour: Black
- AVA-258, Audio cable(Stereo RCA) to XH2.5 connector( 3pins)  
Length: 12metres  
Colour: Black



AVA-250



AVA-255



AVA-258

**AV Receptacle**



Front



Back

AVA-220A



Front



Back

AVA-220B

**Features**

- AVA-220A, 1 VGA + 1 Audio, RCA Video + 2 RCA Audio (rear connection for VGA is 15 pin D-sub female connector and K.O. Box not included)
- 15pin VGA Female to Female
- 3.5mm PC Audio
- RCA Video
- RCA Stereo Audio
  
- AVA-220B, 1 VGA + 1 Audio, RCA Video + 2 RCA Audio (rear connection for VGA is PCB connector and K.O. Box not included)
- 15pin VGA Female to Connector (Screw Type)
- 3.5mm PC Audio
- RCA Video
- RCA Stereo Audio

**Features**

- AVA-221A, 1 VGA + 1 Audio (rear connection for VGA is 15 pin D-sub female connector and K.O. Box not included)
- 15pin VGA Female to Female
- 3.5mm PC Audio
  
- AVA-221B, 1 VGA + 1 Audio (rear connection for VGA is PCB connector and K.O. Box not included)
- 15pin VGA Female to Connector (Screw Type)
- 3.5mm PC Audio
  
- AVA-222, RCA Video, RCA Stereo Audio
  
- AVA-225, AV Receptacle Elegant, Single HDMI Socket
- AVA-226, AV Receptacle Elegant, Double HDMI Socket
- AVA-230, Surface Box



Front



Back

AVA-221A



Front



Back

AVA-221B



AVA-222



AVA-225



AVA-226



AVA-230

**Brackets**



AVA-Wall Ext  
(Type 1)

**AVA-Wall Ext (Type 1) Specification**


Depth to Wall (Length) : 12.5cm  
 Colour : White  
 Application : PRO , ECO , SAS , MAS

**AVA-Wall Ext (Type 2) Specification**

Depth to Wall (Length) : 25.0cm  
 Colour : White  
 Application : PRO , ECO , SAS , MAS



AVA-Wall Ext  
(Type 2)




AVA-Wall Ext  
(Type 3)

**AVA-Wall Ext (Type 3) Specification**

Depth to Wall (Length) : 65.0cm  
 Colour : Black  
 Application : PRO , ECO , SAS , MAS ,  
 PRO-L , TEN , CMS

**AVA-Wall Ext (Type 4) Specification**

Depth to Wall (Length) : 42.5 to 61.5cm (Adjustable)  
 65.0 to 74.0cm (Swivel)  
 Colour : Black  
 Application : PRO , ECO , SAS , MAS ,  
 PRO-L , TEN , CMS , Speakers



AVA-Wall Ext  
(Type 4)



AVA-Wall Ext  
(Type 5)

**AVA-Wall Ext (Type 5) Specification**

Depth to Wall (Length) : 50.0cm  
 Colour : Black  
 Application : PRO-L , XXL